


SHARDGUARD PTFE SAFETY-COATED LAMPS



EncapSulite® offers the highest quality, optically clear, high-temperature PTFE safety coating, designed not to crack or peel when used in normal operating conditions. In the event that an EncapSulite safety-coated lamp is broken, virtually all of the glass, mercury and phosphors are contained inside the high-temperature, high-mechanical strength EncapSulite coating. Employees, products and manufacturing sites are totally protected. Disposal or recycling is safe and easy.

Available in a Wide Range of Lamps

We offer the PTFE safety coating for use with a variety of lamps, including HID, HPS, mercury vapor, PAR 38, flood lamps, heat lamps and compact fluorescents.

Applications

ShardGuard® shatter-resistant PTFE-coated lamps are acceptable for incidental food contact in federally inspected meat and poultry plants. The lamps are in compliance with and meet current FDA, USDA and OSHA standards.

Public Safety

EncapSulite's ShardGuard-coated bulbs provide the ultimate protection for your employees, customers and products from the hazards of glass contamination caused by impact, accidental dropping or thermal shock. EncapSulite's coating is designed for higher lamp temperatures, up to 343°C/650°F. The chemical components and surface characteristics of EncapSulite's coated lamps are in compliance with and meet current NSF, FDA, USDA and OSHA standards.

ShardGuard High-Temperature PTFE Safety-Coated Incandescent HPS and Metal Halide Lamps

Model	Description	Quantity/Box	Lamp Voltage	Lamp Type	Lamp Base
4157	75/BR40/FL/CLEAR	24	130	BR40-Reflector	Medium
4158	100/BR40/FL/CLEAR	24	130	BR40-Reflector	Medium
4159	120/BR40/FL/CLEAR	24	130	BR40-Reflector	Medium
4026	125/BR40/FL/CLEAR	12	130	BR40-Reflector	Medium
4190	150/BR40/SPOT/CLEAR	24	130	BR40-Reflector	Medium
4027	250/BR40/CLEAR	1	130	BR40-Reflector	Medium

Model	Description	Quantity/Box	Lamp Voltage	Lamp Type	Lamp Base
4028	250/BR40/RUBY RED	12	130	BR40-Reflector	Medium
4042	375/BR40/CLEAR	12	130	BR40-Reflector	Medium
4161	40-T10/CLEAR	60	130	T10-General Use	Medium
4162	60-T10/CLEAR	60	130	T10-General Use	Medium
4163	60-F15/CLEAR	24	130	Candelabra	Medium
4164	25-G25-GLOBE/CLEAR	60	130	G25	Medium
4165	25-G40-GLOBE/CLEAR	24	130	G40	Medium
4166	40-G25-GLOBE/CLEAR	60	130	G25	Medium
4167	40-G40-GLOBE/CLEAR	24	130	G40	Medium
4168	60-G40-GLOBE/CLEAR	24	130	G40	Medium
4169	100-G40-GLOBE/CLEAR	24	130	G40	Medium
4170	150-G40-GLOBE/CLEAR	24	130	G40	Medium
4033	40/A15-VIB/CLEAR	120	130	A15	Medium
4034	60/A15-VIB/CLEAR	120	130	A15	Medium
4035	40/A19-VIB/CLEAR	120	130	A19	Medium
4036	50/A19 ROUGH/CLEAR	120	130	A19	Medium
4037	60/A19 ROUGH/CLEAR	120	130	A19	Medium
4038	75/A19 ROUGH/CLEAR	120	130	A19	Medium
4039	100/A19 ROUGH/CLEAR	120	130	A19	Medium
4199	69/A21/CLEAR	60	130	A21	Medium
4171	75/A21/CLEAR	120	130	A21	Medium
4040	100/A21/CLEAR	120	130	A21	Medium
4041	150/A21/CLEAR	120	130	A21	Medium
4172	100/A23/CLEAR	60	130	A23	Medium
4173	150/A23/CLEAR	60	130	A23	Medium
4174	200/A23/CLEAR	60	130	A23	Medium
4175	150/PS25/CLEAR	60	130	PS25	Medium
4176	200/PS25/CLEAR	60	130	PS25	Medium
4177	300/PS25/CLEAR	60	130	PS25	Medium
4179	30/R20/FL/CLEAR	60	130	R20-Reflector	Medium
4180	50/R20/FL/CLEAR	60	130	R20-Reflector	Medium
4181	60/R20/FL/CLEAR	60	130	R20-Reflector	Medium
4182	65/BR30/FL/CLEAR	24	130	BR30-Reflector	Medium
4189	65/BR30/SPOT/CLEAR	24	130	BR30-Reflector	Medium
4184	85/BR30/FL/CLEAR	24	130	BR30-Reflector	Medium
4185	100/BR30/FL/CLEAR	24	130	BR30-Reflector	Medium
4078	150/OPAR/FL/SOFT/CLEAR-15608	12	120	PAR38-Flood	Medium
4116	150/PAR/SPOT/HEAVY/CLEAR-13921	15	130	PAR38-Flood	Medium
4117	150/PAR/FLOOD/HEAVY/CLEAR-13922	15	130	PAR38-Flood	Medium
4047	75/BR38/FL/SOFT/CLEAR	24	130	BR38-Reflector	Medium
4043	100/BR38/FL/SOFT/CLEAR	24	130	BR38-Reflector	Medium
4045	175/BR38/FL/SOFT/CLEAR	24	130	BR38-Reflector	Medium
4075	M175U-64471	6	*	BT28/MH	E39 Mogul
4053	M250U-BT28-64457/CLEAR	6	*	BT28/MH	E39 Mogul
4048	M400U-BT37-64490/CLEAR	6	*	BT37/MH	E39 Mogul
4144	M400/C/U/BT28-64489	6	*	BT28/MH	E39 Mogul
4086	M400U-BT28-64488/CLEAR	6	*	BT28/MH	E39 Mogul
4202	MS400U-BT28-64441/CLEAR	6	*	BT28/MH	E39 Mogul

Model	Description	Quantity/Box	Lamp Voltage	Lamp Type	Lamp Base
4079	LU250/ECO-67578/CLEAR	20	*	ET18/HPS	E39 Mogul
4080	LU400/ECO-67533/CLEAR	20	*	ET18/HPS	E39 Mogul
4084	MP100U-64417/CLEAR	20	*	E17/MH	Medium
4082	MP150U-64402/CLEAR	20	*	E17/MH	Medium
4058	MP175-64773/CLEAR	6	*	BT28/MH	Ex39 Excl
4134	M175U-64479/CLEAR	20	*	ED17/MH	Medium
4059	MP250-64404/CLEAR	6	*	BT28/MH	Ex39 Excl
4083	MP250C/U-64405/WHITE	6	*	BT28/MH	Ex39 Excl
4081	MP320/350PS-64391/CLEAR	6	*	BT28/MH	Ex39 Excl
4060	MP400-64705/CLEAR	6	*	BT37/MH	Ex39 Excl
4085	MS400/BU-64450/CLEAR	6	*	BT37/MH	E39 Mogul
4088	MS320PS/BU-HOR-64507/CLEAR	6	*	BT28/MH	E39 Mogul
4089	MS400PS/BU-64525/CLEAR	6	*	BT37/MH	E39 Mogul
4120	MSP360SS/BU-64737/CLEAR	6	*	BT37/MH	Ex39 Excl
4090	MP70U-64547/CLEAR	20	*	E17/MH	E26 Medium
4091	MP50U-64587/CLEAR	20	*	E17/MH	E26 Medium
4092	MS320C/PS/BU-64646/WHITE	6	*	BT28/MH	E39 Mogul
4203	MP320/350/C/PS/BU-64349/WHITE	6	*	BT28/MH	E39 Mogul
4093	MS360SS/BU-64655/CLEAR	6	*	BT37/MH	E39 Mogul
4094	MS360/C/SS/BU-HOR-64656/WHITE	6	*	BT37/MH	E39 Mogul
4095	MP400/C/BU-64706/WHITE	6	*	BT37/MH	Ex39 Excl
4096	MT400/BU-64707/CLEAR	6	*	BT37/MH	E39 Mogul
4097	MP175/C/BU-64774/WHITE	6	*	BT28/MH	Ex39 Excl
4098	LU150/55/PLUS/ECO-67494/CLEAR	20	*	ET23.5/HPS	E39 Mogul
4099	LU200/PLUS/ECO-67495/CLEAR	20	*	ET18/HPS	E39 Mogul
4100	LU70/PLUS/ECO-67497/CLEAR	20	*	ET23.5/HPS	E39 Mogul
4101	LU35-67500/CLEAR	20	*	E17/HPS	E26 Medium
4102	LU50-67502/CLEAR	20	*	E17/HPS	E26 Medium
4103	LU70-67504/CLEAR	20	*	E17/HPS	E26 Medium
4104	LU100-67506/CLEAR	20	*	E17/HPS	E26 Medium
4105	LU150/55/MED-67508/CLEAR	20	*	E17/HPS	E26 Medium
4106	LU100/ECO-67514/CLEAR	20	*	ET23.5/HPS	E39 Mogul
4107	LU150/55/ECO-67516/CLEAR	20	*	ET23.5/HPS	E39 Mogul
4108	LU100/PLUS/ECO-67559/CLEAR	20	*	ET23.5/HPS	E39 Mogul
4109	LU250/PLUS/ECO-67572/CLEAR	20	*	ET18/HPS	E39 Mogul
4110	LU200/ECO-67576/CLEAR	20	*	ET18/HPS	E39 Mogul
4188	LU400/PLUS/ECO-67312/CLEAR	20	*	ET18/HPS	E39 Mogul
4198	M150C-240 VOLT BT15/WHITE	10	240	BT15/Halogen	Medium
4155	BC-150BT15-P249334/WHITE	10	120	BT15/Halogen	Medium
4121	60B10BL-13442/CLEAR	12	120	B10/Candelabra	Medium

Brand and product names are trademarks of their respective holders. All trademarks may be registered in the U.S.A. and/or other countries. Product design and specifications subject to change without prior notice.

Los productos están protegidos por patentes y patentes pendientes en los EE.UU. y el extranjero, y son marcas registradas y propiedad de sus fabricantes. Las especificaciones y el diseño están sujetos a cambio sin previo aviso.

Grafitec International Inc., 2684 N.W. 97 Avenue, Miami, FL 33172, Tel: 305/718-9941, Fax: 305/718-9362
E-mail: grafitec@grafitec.com, Internet: www.grafitec.com